

BANBAHAL F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2500101

Distance in Kms. a) From Block H.Q. 10
b) From CLR 10



Medium of the School: Bengali

Gram Sansad / Ward Name: CHHORA/I

Class: I -- IV

Students: 160

Teachers: 4

Pupil Teacher Ratio: 40.00

Total class rooms area: 600 Sq. ft.

Space per Student: 3.75 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	2	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Handpump

Whethr Library facility is available: Yes

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

SANKARPUR COLLIERY F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2500301

Distance in Kms. a) From Block H.Q. 18
b) From CLR 18

Medium of the School: Bengali

Gram Sansad / Ward Name: CHHORA/III

Class: I -- IV

Students: 210

Teachers: 6

Pupil Teacher Ratio: 35.00

Total class rooms area: 1350 Sq. ft.

Space per Student: 6.43 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	3
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	5	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Tap Water

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca but broken

Whether Playground is presernt: No



SHANKARPUR VILLAGE F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2500601

Distance in Kms. a) From Block H.Q. 10
b) From CLR 10



Medium of the School: Bengali

Gram Sansad / Ward Name: CHHORA/IV

Class: I -- IV

Students: 125

Teachers: 3

Pupil Teacher Ratio: 41.67

Total class rooms area: 1048 Sq. ft.

Space per Student: 8.38 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 2 Need minor repair 1 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Others

Whethr Library facility is available: Yes

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

SITALPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2500801

Distance in Kms. a) From Block H.Q. 25
b) From CLR 25



Medium of the School: Bengali

Gram Sansad / Ward Name: CHHARAVIII

Class: I -- IV

Students: 237

Teachers: 6

Pupil Teacher Ratio: 39.50

Total class rooms area: 480 Sq. ft.

Space per Student: 2.03 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	6	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	5	Need minor repair	1	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

CHHORA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2501101

Distance in Kms. a) From Block H.Q. 10
b) From CLR 19

Medium of the School: Bengali



Gram Sansad / Ward Name: CHHORA/IX

Class: I -- IV

Students: 180

Teachers: 5

Pupil Teacher Ratio: 36.00

Total class rooms area: 1410 Sq. ft.

Space per Student: 7.83 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	1	Need minor repair	0	Need maior repair	1
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

CHHATADANGA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2501201

Distance in Kms. a) From Block H.Q. 10
b) From CLR 10

Medium of the School: Bengali



Gram Sansad / Ward Name: CHHORA/XII

Class: I -- IV

Students: 44

Teachers: 2

Pupil Teacher Ratio: 22.00

Total class rooms area: 182 Sq. ft.

Space per Student: 4.14 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	0	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: No Response

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Barbed wire fencing

Whether Playground is presernt: No

BAHULA MOTI BAZAR HINDI F.P. S

Circle Name: PANDAVESWAR

DISE Code: 2503101

Distance in Kms. a) From Block H.Q. 13
b) From CLR 9



Medium of the School: Bengali

Gram Sansad / Ward Name: BAHULA/IV

Class: I -- IV

Students: 174

Teachers: 4

Pupil Teacher Ratio: 43.50

Total class rooms area: 22105 Sq. ft.

Space per Student: 27.04 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	4	Need minor repair	0	Need maior repair	1
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

BAHULA NO. 2 F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2503301

Distance in Kms. a) From Block H.Q. 15
b) From CLR 15



Medium of the School: Bengali

Gram Sansad / Ward Name: BAHULAVI

Class: I -- IV

Students: 351

Teachers: 6

Pupil Teacher Ratio: 58.50

Total class rooms area: 1680 Sq. ft.

Space per Student: 4.79 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	5	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

PARASCOLE F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2503901

Distance in Kms. a) From Block H.Q. 14
b) From CLR 14



Medium of the School: Bengali

Gram Sansad / Ward Name: BAHULI/XII

Class: I -- IV

Students: 240

Teachers: 6

Pupil Teacher Ratio: 40.00

Total class rooms area: 864 Sq. ft.

Space per Student: 3.60 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	0	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Handpump

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No Respons

JAMBAD BENEDI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2504401

Distance in Kms. a) From Block H.Q. 14
b) From CLR 15



Medium of the School: Bengali

Gram Sansad / Ward Name: BAHULA/XVII

Class: I -- IV

Students: 218

Teachers: 2

Pupil Teacher Ratio: 109.00

Total class rooms area: 1020 Sq. ft.

Space per Student: 4.68 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	4	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No

BAHULA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2504801

Distance in Kms. a) From Block H.Q. 15
b) From CLR 15



Medium of the School: Bengali

Gram Sansad / Ward Name: BAHULA/XXI

Class: I -- IV

Students: 311

Teachers: 7

Pupil Teacher Ratio: 44.43

Total class rooms area: 2000 Sq. ft.

Space per Student: 6.43 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	0
Partially pucca	0	1
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	5	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: Yes

BILPAHARI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2505501

Distance in Kms. a) From Block H.Q. 6
b) From CLR 0

Medium of the School: Bengali



Gram Sansad / Ward Name: HARIPUR/I

Class: I -- IV

Students: 150

Teachers: 2

Pupil Teacher Ratio: 75.00

Total class rooms area: 20075 Sq. ft.

Space per Student: 33.83 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	3	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No Response

Boundary Wall: Pucca

Whether Playground is presernt: No

SONEPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506001

Distance in Kms. a) From Block H.Q. 5
b) From CLR 5



Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/VI

Class: I -- IV

Students: 126

Teachers: 4

Pupil Teacher Ratio: 31.50

Total class rooms area: 636 Sq. ft.

Space per Student: 5.05 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	3
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No Response

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

BAZARI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506301

Distance in Kms. a) From Block H.Q. 8
b) From CLR 10

Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/IX

Class: I -- IV

Students: 176

Teachers: 7

Pupil Teacher Ratio: 25.14

Total class rooms area: 1080 Sq. ft.

Space per Student: 6.14 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Handpump

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No



BHALUKA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506501

Distance in Kms. a) From Block H.Q. 5
b) From CLR 10



Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/XI

Class: I -- IV

Students: 34

Teachers: 2

Pupil Teacher Ratio: 17.00

Total class rooms area: 310 Sq. ft.

Space per Student: 9.12 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	3	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: No Response

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

BHATMURA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506502

Distance in Kms. a) From Block H.Q. 3
b) From CLR 15



Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/XI

Class: I -- IV

Students: 52

Teachers: 2

Pupil Teacher Ratio: 26.00

Total class rooms area: 120 Sq. ft.

Space per Student: 2.31 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	3	5
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Handpump

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

HANSDIHA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506503

Distance in Kms. a) From Block H.Q. 0
b) From CLR 14

Medium of the School: Bengali



Gram Sansad / Ward Name: HARIPUR/X

Class: I -- IV

Students: 36

Teachers: 2

Pupil Teacher Ratio: 18.00

Total class rooms area: 1200 Sq. ft.

Space per Student: 33.33 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	4	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No Respons

HARIPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506601

Distance in Kms. a) From Block H.Q. 15
b) From CLR 0

Medium of the School: Bengali



Gram Sansad / Ward Name: HARIPUR/XII

Class: I -- IV

Students: 198

Teachers: 4

Pupil Teacher Ratio: 49.50

Total class rooms area: 803 Sq. ft.

Space per Student: 4.06 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Others

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No

HARIPUR COLLIERY F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2506801

Distance in Kms. a) From Block H.Q. 12
b) From CLR 17



Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/XIII

Class: I -- IV

Students: 286

Teachers: 3

Pupil Teacher Ratio: 95.33

Total class rooms area: 260 Sq. ft.

Space per Student: 0.91 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	5	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Handpump

Whethr Library facility is available: Yes

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

GAIGHATA HINDI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2507101

Distance in Kms. a) From Block H.Q. 15
b) From CLR 12



Medium of the School: Bengali

Gram Sansad / Ward Name: HARIPUR/IX

Class: I -- IV

Students: 190

Teachers: 3

Pupil Teacher Ratio: 63.33

Total class rooms area: 288 Sq. ft.

Space per Student: 1.52 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	2	Need maior repair	2
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

HARIPUR BAROPARA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2507201

Distance in Kms. a) From Block H.Q. 15
b) From CLR 20

Medium of the School: Bengali



Gram Sansad / Ward Name: HARIPUR/XVIII

Class: I -- V

Students: 217

Teachers: 3

Pupil Teacher Ratio: 72.33

Total class rooms area: 1030 Sq. ft.

Space per Student: 4.75 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	5	Need minor repair	0	Need major repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whether Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is present: No

JOYALBHANGA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2507401

Distance in Kms. a) From Block H.Q. 3
b) From CLR 8



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/I

Class: I -- IV

Students: 171

Teachers: 4

Pupil Teacher Ratio: 42.75

Total class rooms area: 925 Sq. ft.

Space per Student: 5.41 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 1

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: Yes

Boundary Wall: Pucca

Whether Playground is presernt: No

KUMARDIHI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2507801

Distance in Kms. a) From Block H.Q. 16
b) From CLR 8



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/V

Class: I -- IV

Students: 216

Teachers: 5

Pupil Teacher Ratio: 43.20

Total class rooms area: 2142 Sq. ft.

Space per Student: 9.92 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 2 Need minor repair 1 Need maior repair 2

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

SHAMSUNDARPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2508601

Distance in Kms. a) From Block H.Q. 8
b) From CLR 4



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/XIII

Class: I -- IV

Students: 60

Teachers: 2

Pupil Teacher Ratio: 30.00

Total class rooms area: 1200 Sq. ft.

Space per Student: 20.00 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	2	Need minor repair	0	Need maior repair	3
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca but broken

Whether Playground is presernt: No

GOENKA-KAJORA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2508701

Distance in Kms. a) From Block H.Q. 15
b) From CLR 0



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/XIV

Class: I -- IV

Students: 235

Teachers: 3

Pupil Teacher Ratio: 78.33

Total class rooms area: 216 Sq. ft.

Space per Student: 0.92 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 1 Need minor repair 2 Need maior repair 1

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: Yes

NABAGRAM F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2508901

Distance in Kms. a) From Block H.Q. 6
b) From CLR 7



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/XV

Class: I -- IV

Students: 194

Teachers: 4

Pupil Teacher Ratio: 48.50

Total class rooms area: 2000 Sq. ft.

Space per Student: 10.31 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	3	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: Well

Whethr Library facility is available: Yes

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

NABAGRAM KORAPARA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2508902

Distance in Kms. a) From Block H.Q. 7
b) From CLR 0



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/XVI

Class: I -- IV

Students: 191

Teachers: 4

Pupil Teacher Ratio: 47.75

Total class rooms area: 130 Sq. ft.

Space per Student: 0.68 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	1	Need minor repair	2	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

NABAGRAM HINDI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2509101

Distance in Kms. a) From Block H.Q. 9
b) From CLR 8



Medium of the School: Bengali

Gram Sansad / Ward Name: NABAGRAM/XVIII

Class: I -- IV

Students: 200

Teachers: 2

Pupil Teacher Ratio: 100.00

Total class rooms area: 1500 Sq. ft.

Space per Student: 7.50 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: Yes

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No Response

Whether Playground is presernt: No

KENDRA BELETHOLE F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2509501

Distance in Kms. a) From Block H.Q. 5
b) From CLR 20

Medium of the School: Bengali



Gram Sansad / Ward Name: KENDRA/II

Class: I -- IV

Students: 672

Teachers: 9

Pupil Teacher Ratio: 74.67

Total class rooms area: 3322 Sq. ft.

Space per Student: 4.94 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	1	2
Partially pucca	1	0
Kuccha	0	4

Condition of classrooms:

Good	2	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

RAMNAGAR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2510101

Distance in Kms. a) From Block H.Q. 5
b) From CLR 15

Medium of the School: Bengali



Gram Sansad / Ward Name: KENDRAVII

Class: I -- IV

Students: 249

Teachers: 4

Pupil Teacher Ratio: 62.25

Total class rooms area: 1024 Sq. ft.

Space per Student: 4.11 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	2	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 1 Need minor repair 1 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

DALIURBANDH COLLIERY F.P. SCHO

Circle Name: PANDAVESWAR

DISE Code: 2511301

Distance in Kms. a) From Block H.Q. 0
b) From CLR 16



Medium of the School: Bengali

Gram Sansad / Ward Name: KENDRA/XX

Class: I -- IV

Students: 218

Teachers: 5

Pupil Teacher Ratio: 43.60

Total class rooms area: 908 Sq. ft.

Space per Student: 4.17 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	6	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	4	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No

BAIDYANATHPUR MUCHIPARA F.P.

Circle Name: PANDAVESWAR

DISE Code: 2511701

Distance in Kms. a) From Block H.Q. 1
b) From CLR 1



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/I

Class: I -- IV

Students: 227

Teachers: 5

Pupil Teacher Ratio: 45.40

Total class rooms area: 2310 Sq. ft.

Space per Student: 10.18 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	5	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 5 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: Tap Water

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

BAIDYANATHPUR F.P. SCHOOL

Circle Name: UKHRA

DISE Code: 2511901

Distance in Kms. a) From Block H.Q. 2
b) From CLR 20



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/IV

Class: I -- IV

Students: 304

Teachers: 6

Pupil Teacher Ratio: 50.67

Total class rooms area: 225 Sq. ft.

Space per Student: 0.74 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 4 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No

PANDAVESWAR D.V.C.PARA F.P. SC

Circle Name: PANDAVESWAR

DISE Code: 2512101

Distance in Kms. a) From Block H.Q. 1
b) From CLR 8



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYNATHPUR/V

Class: I -- IV

Students: 165

Teachers: 4

Pupil Teacher Ratio: 41.25

Total class rooms area: 240 Sq. ft.

Space per Student: 1.45 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	2	4
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Others

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No Response

Whether Playground is presernt: No

BAIDYANATHPUR NAMOPARA F.P.

Circle Name: PANDAVESWAR

DISE Code: 2512301

Distance in Kms. a) From Block H.Q. 16
b) From CLR 16



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR-VII

Class: I -- IV

Students: 136

Teachers: 3

Pupil Teacher Ratio: 45.33

Total class rooms area: 500 Sq. ft.

Space per Student: 3.68 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Others

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: Yes

KONDA GOBINDAPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2512801

Distance in Kms. a) From Block H.Q. 5
b) From CLR 5



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XII

Class: I -- IV

Students: 111

Teachers: 2

Pupil Teacher Ratio: 55.50

Total class rooms area: 730 Sq. ft.

Space per Student: 6.58 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 2 Need minor repair 1 Need maior repair 1

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Well

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca but broken

Whether Playground is presernt: No

PANDAVESWAR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2512901

Distance in Kms. a) From Block H.Q. 2
b) From CLR 13



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XIII

Class: I -- IV

Students: 69

Teachers: 2

Pupil Teacher Ratio: 34.50

Total class rooms area: 1459 Sq. ft.

Space per Student: 66.07 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	3	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	3	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

GOBINDAPUR F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2512902

Distance in Kms. a) From Block H.Q. 0
b) From CLR 10



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XIII

Class: I -- IV

Students: 98

Teachers: 3

Pupil Teacher Ratio: 32.67

Total class rooms area: 800 Sq. ft.

Space per Student: 8.16 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	0
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: Yes

Whether Girls toilet is present: No

Whether Electricity in the School: Yes

Water facility is available: Handpump

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca

Whether Playground is presernt: No

DANYA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2513001

Distance in Kms. a) From Block H.Q. 3
b) From CLR 14



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XIV

Class: I -- IV

Students: 242

Teachers: 7

Pupil Teacher Ratio: 34.57

Total class rooms area: 2700 Sq. ft.

Space per Student: 11.16 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	4	2
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 3 Need minor repair 0 Need maior repair 1

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Tap Water

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca but broken

Whether Playground is presernt: No

MOHAL F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2513201

Distance in Kms. a) From Block H.Q. 5
b) From CLR 5



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XVI

Class: I -- IV

Students: 350

Teachers: 6

Pupil Teacher Ratio: 58.33

Total class rooms area: 1860 Sq. ft.

Space per Student: 5.31 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	6	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	6	Need minor repair	0	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: No

Whether Girls toilet is present: No

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No Response

Whether Playground is presernt: No

SONABANDHI F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2513401

Distance in Kms. a) From Block H.Q. 4
b) From CLR 4



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR-XVIII

Class: I -- IV

Students: 87

Teachers: 1

Pupil Teacher Ratio: 87.00

Total class rooms area: 402 Sq. ft.

Space per Student: 4.62 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	3	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good	0	Need minor repair	1	Need maior repair	0
------	---	-------------------	---	-------------------	---

Whether Common toilet is present: Yes

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: None

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: Pucca but broken

Whether Playground is presernt: No

CHAKKARALA F.P. SCHOOL

Circle Name: PANDAVESWAR

DISE Code: 2513402

Distance in Kms. a) From Block H.Q. 4
b) From CLR 4



Medium of the School: Bengali

Gram Sansad / Ward Name: BAIDYANATHPUR/XVIII

Class: I -- IV

Students: 163

Teachers: 2

Pupil Teacher Ratio: 81.50

Total class rooms area: 480 Sq. ft.

Space per Student: 2.94 Sq. ft.

Status of School Building: Government

Type of Classrooms and other rooms:

Type	Classrooms	Other rooms
Pucca	2	1
Partially pucca	0	0
Kuccha	0	0

Condition of classrooms:

Good 0 Need minor repair 0 Need maior repair 0

Whether Common toilet is present: No

Whether Girls toilet is present: Yes

Whether Electricity in the School: No

Water facility is available: Handpump

Whethr Library facility is available: No

Whether RAMP is present: No

Boundary Wall: No boundary wall

Whether Playground is presernt: No